



ఆంధ్రప్రదేశ్ రాజపత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.49

AMARAVATI, MONDAY, DECEMBER 9, 2024

G.636

PART II - MISCELLANEOUS NOTIFICATIONS OF INTEREST TO THE PUBLIC

--X--

NOTIFICATIONS BY HEADS OF DEPARTMENTS Etc.,

**PRL. CHIEF CONSERVATOR OF
FORESTS & HEAD OF FOREST FORCE,
ANDHRA PRADESH, MANGALAGIRI.**

Ref.No.6261/2024/WLR-1

Dt. 09-12-2024

FOREST RESERVATIONS - ANAKAPALLI DISTRICT - K.D. PETA RANGE,
SY.No.41 OF CHODYAM VILLAGE OF GOLUGONDA MANDAL OVER AN
EXTENT OF 20.00 HA OR AC.49.42 CENTS IN **CHODYAM BLOCK** -
NOTIFICATION U/s 24 OF A.P. FOREST ACT, 1967.

NOTIFICATION

In exercise of the powers conferred by Sub-Section (1) of Section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967) and as per the powers delegated and amended by the Government in G.O.Ms.No.66 EFS&T(Section-II) Department, dt.19.09.2023 and G.O.Ms.No.1 EFS&T(Section-II) Department, dt:03.01.2024, the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh hereby declares that the Forest land described in the schedule below (delineated in the map kept in Office of the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Mangalagiri) to be Protected Forest with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

SCHEDULE

1	Name of the District	:	Anakapalli
2	Name of the Forest Division	:	Anakapalli
3	Name of the Revenue Mandal	:	Golugonda
4	Name of the Range	:	K.D. Peta
5	Name of the village	:	Chodyam
6	Name of the Forest Block proposed to be protected forest	:	Chodyam
7	Area of the block proposed to be protected forest	:	20.00Ha. or Ac 49.42 cents
8	Survey No.	:	41
9	Total area of Survey No.	:	309.83Ha. or Ac.765.60 cents

BOUNDARIES

1	North	:	Lingampeta hamlet village of Kothamallampeta Survey No.40 & Chodyam Sy.No.42, 43.
2	East	:	Chodyam village Survey No.98
3	South	:	Chodyam village Survey No.41
4	West	:	Chodyam village Survey No.41

Details of the areas included in the block:

Sl. No.	Name of the village	Sy. No.	Classification of land	Total area in acres	Area included in the block	Remarks
1	Chodyam	41	Konda poramboku	309.83 Ha. or Ac.765.60 cents	20.00 Ha. or Ac. 49.42 cents	

BOUNDARIES

South: The boundary station No.15 fixed at the TIE LINE in FB 17⁰ and distance of 150 links 'N E direction of 23 Km stone of Chodyam Chintalapudi road. Thence the boundary moves towards Western direction in the following magnetic bearing and distances.

Station Nos.		Magnetic bearing in degrees	Distance in links	Distance in meters
From	To			
15	16	264	348	70.01
16	17	223	375	75.44
17	18	266	324	65.18
18	19	256	484	97.37
19	20	273	160	32.19
20	21	330	215	43.25
21	22	86	125	25.15
22	23	60	565	113.66
23	24	305	227	45.67
24	25	235	625	125.73
25	26	245	310	62.36
26	27	260	335	67.39
27	28	243	710	142.83
28	29	282	810	162.95

West: Thence the boundary line runs North direction from Station no.29 to 31 with the following magnetic bearings and distances.

Station Nos.		Magnetic bearing in degrees	Distance in links	Distance in meters
From	To			
29	30	335	760	152.89
30	31	18	785	157.92

North: Thence the boundary line runs from Station No.31 to 14 in East direction with the following magnetic bearing and distances.

Station Nos.		Magnetic bearing in degrees	Distance in links	Distance in meters
From	To			
31	32	74	400	87.47
32	1	84	540	108.63
1	2	95	400	80.47
2	3	104	160	32.19
3	4	104	337	67.79
4	5	86	265	53.31
5	6	69.3	187	37.62
6	7	93	210	42.25
7	8	84	170	34.2
8	9	104	340	68.4
9	10	156	204	41.04
10	11	102	200	40.23
11	12	110	235	47.27
12	13	136	242	48.68
13	14	116.3	146	29.37

East: Thence the boundary line runs from Station No.14 to 15 in South in direction with the following magnetic bearings and distances and ends.

Station Nos.		Magnetic bearing in degrees	Distance in links	Distance in meters
From	To			
14	15	168	350	70.41

Remarks:

- 1) There are no admitted enclosures in this Block.
- 2) There are no admitted rights of way in this Block.
- 3) There are no rights and concessions in the Block as the land included is purchased by the User Agency and mutated in favour of Forest Department without encumbrances.

CHIRANJIV CHOUDHARY,
*Prl. Chief Conservator of Forests &
 Head of Forest Force.*

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ చట్టము 1967 (1967లోని మొదటి చట్టం లోని 24 వ అధికరణం ద్వారా లభించిన అధికారాన్ని పురస్కరించుకొని, మరియు ప్రభుత్వం G.O.Ms.No.66 EFS &T (సెక్షన్-II) శాఖ తేది.19.09.2023 మరియు G.O.Ms.No.1 EFS &T (సెక్షన్-II) శాఖ తేది.03.01.2024 ద్వారా బదలాయించిన అధికారం ద్వారా ప్రధాన ముఖ్య అటవీ సంరక్షణాధికారి మరియు అటవీ దళాధిపతి, ఆంధ్రప్రదేశ్ వారు, ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షణాధికారి, మంగళగిరి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది.) వారి ఈ ప్రకటనను ఆంధ్రప్రదేశ్ రాజపత్రంలో ప్రచురించిన తేది నుండి రక్షిత అడవిగా పరిగణించబడును అని ఇందుమూలముగా ప్రకటించడమైనది.

అనుసూచిక

1. జిల్లా పేరు : అనకాపల్లి
2. డివిజన్ పేరు : అనకాపల్లి
3. రెవిన్యూ మండలం : గొలుగొండ
4. రేంజ్ పేరు : కే.డి.పేట
5. గ్రామము పేరు : చోద్యం
6. రక్షిత అడవిగా ప్రతిపాదించబడిన బ్లాక్ పేరు : చోద్యం బ్లాకు
7. రక్షిత అడవిగా ప్రతిపాదించబడిన విస్తీర్ణము : హె20.00 లేక ఎ 49.42 సెం.

సరిహద్దులు

1	ఉత్తరం	కొత్తమల్లంపేట శివారు గ్రామం లింగంపేట సర్వే నం.40 & చోద్యం సర్వే నం.42, 43.
2	తూర్పు	చోద్యం గ్రామం సర్వే నం.98
3	దక్షిణం	చోద్యం గ్రామం సర్వే నం.41
4	పడమర	చోద్యం గ్రామం సర్వే నం.41

రక్షిత అడవికి చేర్చిన సర్వేనెంబరు ప్రకారము వైశాల్యం వివరముల పట్టిక.

క్రమ సంఖ్య	గ్రామము పేరు	సర్వే నెం.	పట్టా	మొత్తము విస్తీర్ణము	బ్లాకుకు కేటాయించిన విస్తీర్ణము	రిమార్కులు
1	చోద్యం	41	కొండ పోరంబోకు	హె.309.83 లేక ఎ 765.60 సెం.	హె20.00 లేక ఎ 49.42 సెం.	

సరిహద్దుల వివరణ

దశీణం : చోద్యం అడవి రాజుల గుడి దగ్గరలో చోద్యం నుండి చింతలపూడి పోవు రోడ్డు నందు 23వ కి.మీ.

రాయిని తీసుకొని స్టేషన్ నెం.15 వరకు ఈశాన్యం దిశలో 17 డిగ్రీలు కోణంలో 50మీ. దూరములో స్టేషన్ నెం.15 నిర్దేశించడ మైనది. తదుపరి స్టేషన్ నెం.15 ఈ క్రింది కొలతలతో మరియు మాగ్నటిక్ బేరింగులు డిగ్రీలలో స్టేషన్ నెం.29 వరకు పడమర దిశలో పోవుచున్నది.

స్టేషనులు		మాగ్నటిక్ బేరింగులు డిగ్రీలలో	దూరము డిగ్రీలలో	దూరము మీటర్లలో
నుండి	వరకు			
15	16	264	348	70.01
16	17	223	375	75.44
17	18	266	324	65.23
18	19	256	484	97.37
19	20	273	160	32.19
20	21	330	215	43.25
21	22	86	125	25.15
22	23	60	565	113.66
23	24	305	227	45.67
24	25	235	625	125.73
25	26	245	310	62.36
26	27	260	335	67.39
27	28	243	710	142.83
28	29	282	810	162.95

పడమర : అచ్చట నుండి అనగా స్టేషన్ 29 నుండి ఉత్తర దిశగా స్టేషన్ 31 వరకు ఈ క్రింది కొలతలలో పోవుచున్నది.

స్టేషనులు		మాగ్నటిక్	దూరము	దూరము
నుండి	వరకు	బేరింగులు డిగ్రీలలో	డిగ్రీలలో	మీటర్లలో
29	30	335	760	152.89
30	31	18	785	157.92

ఉత్తరం : అచ్చట నుండి అనగా స్టేషన్ 31 నుండి 14 వరకు తూర్పు దిశగా మాగ్నటిక్ బేరింగు మరియు కొలతలు ప్రకారము పోవుచున్నది.

స్టేషనులు		మాగ్నటిక్	దూరము	దూరము
నుండి	వరకు	బేరింగులు డిగ్రీలలో	డిగ్రీలలో	మీటర్లలో
31	32	74	400	80.47
32	1	84	540	108.63
1	2	95	400	80.47
2	3	104	160	32.19
3	4	104	337	67.79
4	5	86	265	53.31
5	6	69.3	187	37.62
6	7	93	210	42.25
7	8	84	170	34.2
8	9	104	340	68.4
9	10	156	204	41.04
10	11	102	200	40.23
11	12	110	235	47.27
12	13	136	242	48.68
13	14	116.3	146	29.37

తూర్పు: అచ్చట నుండి అనగా స్టేషన్ 14 నుండి దక్షిణ దిశగా స్టేషన్ 15 వరకు ఈ క్రింది మాగ్నటిక్ బేరింగులు మరియు కొలతలు ప్రకారము అంత్యమగుచున్నది.

స్టేషనులు		మాగ్నటిక్ బేరింగులు డిగ్రీలలో	దూరము డిగ్రీలలో	దూరము మీటర్లలో
నుండి	వరకు			
14	15	168	350	70.41

రిమార్కులు:


1. ఈ బ్లాకు నందు ఎలాంటి అనుమతించబడిన ఎంక్లోజర్స్ లేవు.
2. ఈ బ్లాకు నందు ఎలాంటి అనుమతించబడిన దారులు లేవు.
3. బ్లాక్‌లో ఎలాంటి హక్కులు మరియు రాయితీలు లేవు, ఎందుకనగా చేర్చబడిన భూమి వినియోగదారు ఏజెన్సీ ద్వారా కొనుగోలు చేయబడింది మరియు ఎటువంటి భారం లేకుండా అటవీ శాఖకు అనుకూలంగా మార్చబడింది.

చిరంజీవ్ చౌదరి,
ప్రధాన ముఖ్య అటవీ సంరక్షణ అధికారి
మరియు అటవీ దళాధిపతి.

Surveyed sketch of Compensatory Afforestation Area (20 ha.) in Sy. no. 41 of Chodyam

Revenue Village in Golugonda Mandal in lieu of diversion of Forest land for

Indirasagar (Polavaram) Project proposed for Sec. 24 of A.P. Forest Act, 1967 (Protected Forests)



Principal Chief Conservator of Forests &
Head of Forest Force,
Andhra Pradesh, Mangalagiri.

Conservator of Forests
Visakhapatnam

District Forest Officer
Anakapalli

Forest Range Officer
K.D. Peta

Forest Section Officer
Golugonda

Forest Beat Officer
Balaram